
BRUSSARDO


Dough Sheeter Catalog

Electric dough sheeters for lamination: croissants, puff pastry, Danish, pasta, pizza and cookie dough. Three models, all with 15 thickness settings from 0.5 to 20 mm.

Model	Board	Capacity	Weight	Price ex. VAT
PRIME	98 x 32 cm	Up to 1.6 kg dough	16.5 kg	**EUR 2,250**
LM800	75 x 32 cm	Up to 1.2 kg dough per cycle	14 kg	**EUR 2,400**
LM1000	98 x 40 cm	Up to 1.6 kg dough	15.2 kg	**EUR 2,600**









All models

- Made in EU, 2-year warranty
- Food-grade resin roller and board, FDA and EU 10/2011 compliant
- Stainless steel body, bearing-supported shafts, DC motor
- Power supply 100-240 V AC, plug supplied for your region
- Free shipping to EU, UK and Switzerland. US, Canada, Australia: shipping quoted separately
- VAT-free with a valid EU VAT ID or for export outside the EU

PRIME

Compact electric dough sheeter, disassembles for shelf storage





Countertop dough sheeter with two-button bidirectional control and the PRIMEFlex sliding board. Comes apart in seconds and stores on a shelf when not in use.

- Reversible, motor-driven sheeting
- 15 thickness settings, 0.5 to 20 mm
- Stainless steel control buttons
- Food-grade resin roller and board (FDA, EU 10/2011)

Technical specification


Sheeting board	98 x 32 cm
Thickness range	0.5 - 20 mm, 15 settings
Capacity	Up to 1.6 kg dough
Weight	16.5 kg
Size, assembled	100 x 43 x 21 cm
Size, disassembled	31 x 43 x 21 cm
Power	100-240 V AC, 50/60 Hz, DC motor
Noise	62 dB
Body	Stainless steel

EUR 2,250 ex. VAT, free shipping within EU, UK and Switzerland

LM800

Smallest electric dough sheeter in the range, foldable





Foldable electric sheeter for kitchens with limited space. Joystick controls the motorised board in both directions. Folds to 27 x 35 x 42 cm.

- Automatic two-way sheeting, joystick control
- 15 thickness settings, 0.5 to 20 mm
- 75 cm food-grade non-stick board
- Bearing-supported shafts, stainless steel body


Technical specification

Sheeting board	75 x 32 cm
Thickness range	0.5 - 20 mm, 15 settings
Capacity	Up to 1.2 kg dough per cycle
Weight	14 kg
Size, unfolded	78 x 21 x 42 cm
Size, folded	27 x 35 x 42 cm
Power	100-240 V AC, 50/60 Hz, DC motor
Noise	62 dB
Body	Stainless steel

EUR 2,400 ex. VAT, free shipping within EU, UK and Switzerland

LM1000

Largest board in the range, PRIMEFlex II drive





Electric sheeter for daily production. Largest board in the range, PRIMEFlex II drive with 30+ bearings, joystick control. Folds down between shifts.

- 98 x 40 cm motor-driven sheeting board
- 15 thickness settings, 0.5 to 20 mm
- Joystick control, one-handed operation
- Foldable frame, food-grade resin (FDA, EU 10/2011)

Technical specification

Sheeting board	98 x 40 cm
Thickness range	0.5 - 20 mm, 15 settings
Capacity	Up to 1.6 kg dough
Weight	15.2 kg
Size, unfolded	100 x 21 x 52 cm
Size, folded	27 x 47 x 52 cm
Power	100-240 V AC, 50/60 Hz, DC motor
Noise	62 dB
Body	Stainless steel

EUR 2,600 ex. VAT, free shipping within EU, UK and Switzerland